


SIRIOtape 20W/m RGBW SUPERBRIGHT IP65

5605965



Lamp Voltage



Luminous flux



Max.module lenght



Colour




Degree of protection

DESCRIZIONE

SIRIOtape 20W/m RGBW IP65, LED 3527.

IP65 protection.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it

SIRIOtape 20W/m RGBW SUPERBRIGHT IP65

5605965



MECHANICAL DATA

Width (mm)	10
Height (mm)	2,5
Lenght (mm)	5000
Degree of protection (IP)	IP65
Lenght of particular segments (mm)	100

ELECTRICAL DATA

Efficiency (lm/W)	25
Lamp power per meter (W)	20
Lamp voltage (V)	24

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	500
Beam angle (°)	120
Led	3527
CRI (Ra)	- - -
Colour temperature (K)	RGBW (2700K)
EEC	A
Number Led/M	120

CONNECTION

Connection number	1 (supply from ends or in the middle every 5 meter)
Max, module lenght (mm)	5 .000

TEMPERATURE DATA

Lifetime (h)	36000
Ambient temperature (°C)	-20...+35



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it

SAFETY INFORMATION:

Read the safety and installation instructions carefully and completely before commissioning.
For more information please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:

The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.



SICOM S.R.L.

Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it